

Fast2Test

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.



Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



Money Back Guarantee

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.

Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

We're not the only ones **happy** about Fast2test Practice Materials ...

62316+ customers in 100+ countries use Fast2test Self Test Engine. Meet our customers.

<https://kr.fast2test.com>

유효한 시험자료, 최고의 적응율을 자랑하는 시험대비 덤프

Exam : C2020-645

Title : IBM Cognos 10 BI Multidimensional
Author

Vendors : IBM

Version : DEMO

NO.1 When would a report author define a set?

- A. To create a slicer to focus on a specific number of years of data in a report.
- B. To change the crosstab node member properties for a level.
- C. To use as a summary function to return the total of the specified members.
- D. To return members from different hierarchies of the same dimension.

Answer: A

NO.2 What kind of authoring style uses the filter function?

- A. Relational
- B. Conformed
- C. Dimensional
- D. DMR

Answer: C

NO.3 In a crosstab, Campaign is in the rows area, Order method type is in the columns area, and Quantity is the measure. Campaign and Order method type are specified in the query. The report runs, displaying quantity values for all years. Why does this happen?

- A. The dimension member from that dimension is implied.
- B. The order method member from that dimension is implied.
- C. The aggregate member from that dimension is implied.
- D. The default member from that dimension is implied.

Answer: D

NO.4 A crosstab report has product lines in the rows, years in the columns, and revenue as the measure. In Query Explorer, from the source tree, the report author drags the order method Telephone to the Slicer pane. Why does the report author do this?

- A. To help to set the context.
- B. To create an ordered set.
- C. To return only one tuple.
- D. To aggregate the telephone member.

Answer: A

NO.5 A data source has a Time hierarchy, a Products hierarchy, and a Retailers hierarchy. What are the preferred techniques the report author would use to focus reports for this type of a data source?

- A. Dimensional functions and slicers
- B. Use Members directly
- C. Ancestors and descendants
- D. Detail filters and summary filters

Answer: A

NO.6 Which of the following are dimensional objects?

- A. Sets and query calculation
- B. Query subject and relationship cardinality

- C. Slicer and string function
- D. Level and member

Answer: B

NO.7 When a report author inserts Revenue into the Measures area of a blank crosstab report, which of the following statements is correct?

- A. The report author has implicitly set the default measure for the crosstab report to be Revenue.
- B. The report author must verify the aggregation properties of Revenue to make sure it will display correctly.
- C. The report author has declared a currentMember function to return the Revenue data.
- D. The report author must validate the expression for Revenue to ensure there are no crosstab errors.

Answer: A

NO.8 A report author is working with an OLAP data source. The report author creates a query that uses a caption function on a member and applies a string function. What is a possible consequence of this action?

- A. Using these dimensional methods will not work with an OLAP data source.
- B. The mapped string values will not pass through to the target report.
- C. There is nothing wrong with this approach.
- D. Mixing dimensional styles and relational styles in a single query can create unexpected results.

Answer: D